

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S205	1	S204 AND PRE-PROCESSOR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/23 12:18
S204	3	"11269274"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/23 12:17
S203	2	"20050010576"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/23 12:08
S202	2	"6148342".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/23 10:24
S201	2	"5623666".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/23 09:56
S200	35	S198 and S199	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 11:39
S199	1332	(device\$1) same (different "not the same" "not identical") near (data adj structure schem\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 11:39
S198	13415	query\$3 same (send\$3 submit \$4 transmit\$4) same (device \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 11:37
S197	3	"6560591".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/22 10:30
S196	36	S195 and @rlad<="20011223"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/21 16:05

S195	133	query same (send\$3 submit\$4 transmit\$4) same object\$1 same data adj structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/21 16:05
S194	1	query same (send\$3 submit\$4 transmit\$4) same object\$1 same data adj structure adj format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/21 16:05
S193	708	query same (send\$3 submit\$4 transmit\$4) same data adj structure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/21 16:04
S192	9	S191 and @rlad<="20011223"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/21 15:52
S191	41	(convert\$3 transform\$3 transl\$3) same query same (target destination) near (device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/21 15:51
S190	14	(transmit\$4 send\$3) same (query\$3 text) same different near4 (storage adj device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/21 10:57
S189	91	query\$3 same different near4 (storage adj device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/21 10:56
S188	27	query\$3 same different near4 (storage adj structure\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/21 10:45
S187	2	"20050120017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/21 10:25
S186	18	S185 and @rlad<="20011214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 17:09
S185	74	(send\$3 transmit\$4) same (query) same different near (data adj structure\$1 storage adj format\$1 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 17:09

S184	0	(send\$3 transmit\$4) same ("same query structure") same different near (data adj structure\$1 storage adj format \$1 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 17:08
S183	15	different near (data adj structure\$1 storage adj format \$1 device\$1) same stor\$3 same (identical substantial\$3) near (data information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 17:04
S182	1	different near (data adj structure\$1 storage adj format \$1) same stor\$3 same (identical substantial\$3) near (data information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 17:03
S181	0	different near (data adj structure\$1 storage adj format \$1) same stor\$3 near (identical substantial\$3) near (data information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 17:03
S180	28	(device\$1) same different near (storage adj format\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:57
S179	8	different near4 (device\$1 data adj structure\$1) same different near (storage adj format\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:54
S178	3	("same query") same (analyz \$3 compar\$3) same different near4 (device\$1 data adj structure\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:50
S177	4423	(query statement) same (analyz \$3 compar\$3) same (device\$1 data adj structure\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:49
S176	10	S173 same (device\$1 data adj structure) same (analyz\$3 compar\$3) near query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:47
S175	0	S173 and different near (device \$1 data adj structure) same (analyz\$3 compar\$3) near query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:47
S174	0	S173 same different near (device\$1 data adj structure) same (analyz\$3 compar\$3) near query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:47

S173	946	(receiv\$3 accept\$3) same (quer\$3 statement\$3 natural adj language) same different with (device\$1 data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:44
S172	2	(transmit\$5 send\$3) same (quer\$3 statement\$3 natural adj language) same different with (device\$1 data adj structure) same (identical substantial\$3 mirror duplicat \$2) near (data information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:43
S171	634	(transmit\$5 send\$3) same (quer\$3 statement\$3 natural adj language) same different with (device\$1 data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:39
S170	11	S169 not S163	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:32
S169	20	S168 and @rlad<="20011214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:32
S168	90	S166 and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:32
S167	419	(convert\$3 translat\$3 transform \$3) with (quer\$3 statement\$3 natural adj language) near format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:30
S166	17596	(transmit\$5 send\$3) same (quer\$3 statement\$3 natural adj language) same (device\$1 data adj structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:29
S165	2	(transmit\$5 send\$3) same (quer\$3 statement\$3 natural adj language) same (different near device\$1) and (convert\$3 translat\$3 transform\$3) near (quer\$3 statement\$3 natural adj language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:28

S164	1	(transmit\$5 send\$3) same (quer\$3 statement\$3 natural adj language) same (different near device\$1) and device\$1 with (convert\$3 translat\$3 transform\$3) near (quer\$3 statement\$3 natural adj language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:26
S163	16	S162 and @rlad<="20011214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:16
S162	72	(transmit\$5 send\$3) same (quer\$3 statement\$3 natural adj language) same device\$1 same device\$1 with (convert\$3 translat\$3 transform\$3) near (quer\$3 statement\$3 natural adj language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:16
S161	7	(transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same device\$1 same (convert\$3 translat\$3 transform \$3) near (query\$3) same device \$1 near5 format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:10
S160	1	(transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same different with device \$1 same (convert\$3 translat\$3 transform\$3) near (query\$3) same device\$1 near5 internal adj format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:09
S159	6888	(transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same different with device \$1 (structure\$1 format\$1 type \$1 schema) same (convert\$3 translat\$3 transform\$3) near (query\$3) same device\$1 near5 internal adj format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:08
S158	6897	(transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same different with device \$1 (structure\$1 format\$1 type \$1 schema) same (convert\$3 translat\$3 transform\$3) near (query\$3) same device\$1 near5 format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:07
S157	6893	(transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same different with device \$1 (structure\$1 format\$1 type \$1 schema) same (convert\$3 translat\$3 transform\$3) near (query\$3) with device\$1 near5 format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:07

S156	7204	(transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same different with device \$1 (structure\$1 format\$1 type \$1 schema) same (convert\$3 translat\$3 transform\$3) near (query\$3) with format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:06
S155	9577007	(transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same different with device \$1 (structure\$1 format\$1 type \$1 schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/20 16:04
S154	2	"6341196".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 13:32
S153	2	"7103602".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 13:32
S152	14	S151 and @rlad<="20011214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:44
S151	43	S150 and 707/3,10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:42
S150	591	(transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same (plurality different) near data near5 (structure\$1 format\$1 type\$1 schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 12:41
S149	20	S148 and @rlad<="20011214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 14:08
S148	59	S146 and (obtain\$3 receiv\$3) same (similar\$5 identical approx\$8) same result\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 14:08
S147	0	S146 and (obtain\$3 receiv\$3) same (similar\$5 identical approx\$8) near result\$1 with (type\$1 format\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 14:07

S146	588	(transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same (plurality different) near data near5 (structure\$1 format\$1 type\$1 schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 14:06
S145	4665	(transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same (plurality different) near (structure\$1 format\$1 type\$1 schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 14:06
S144	0	S143 and (obtain\$3 receiv\$3) same (similar\$5 identical approx\$8) near result\$1 with (type\$1 format\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:48
S143	41	(creat\$3 generat\$3) same (quer \$3 request\$3 statement\$3) same (plurality) near data adj structure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:47
S142	13	S141 not S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:42
S141	13	(transmit\$5 send\$3) same (quer\$3 request\$3 statement \$3) same (plurality) near data adj structure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:42
S140	17	(quer\$3 request\$3 statement \$3) same (transmit\$5 send\$3) same (different) near data adj structure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:31
S139	2	S138 and (obtain\$3 receiv\$3) same (similar\$5 identical approx\$8) near result\$1 with (type\$1 format\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:28
S138	6359	(quer\$3 request\$3 statement \$3) same (transmit\$5 send\$3) same data adj structure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:26
S137	22	(obtain\$3 receiv\$3) same result \$1 same (identical similar\$3 approxi\$8) near5 (structure\$1 format\$1) and different near data adj structure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:03
S136	0	present\$3 same result\$1 same (identical similar\$3 approxi\$8) near5 format\$1 same different near structure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:01

S135	0	present\$3 same (query near4 result\$1) same (identical similar\$3 approxi\$8) near5 format\$1 same different near structure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 13:00
S134	34	S132 and S133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 12:39
S133	12997	(obtain\$3 retriev\$3 receiv\$3) same result\$1 with (format\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 12:39
S132	295	(generat\$3 creat\$3) with (quer\$3 SQL database adj command\$1) same (transmit\$3 send\$3) same (server network database) with (structure\$1 schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 12:36
S131	4824	(generat\$3 creat\$3) with (quer\$3 SQL database adj command\$1) same (transmit\$3 send\$3) same (server network database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 12:34

10/24/08 12:30:21 PM

C:\Documents and Settings\dle2\My Documents\EAST\Workspaces\10017689.wsp